

HPD UNIQUE IDENTIFIER: 24012

CLASSIFICATION: 10 51 13 Metal Lockers

PRODUCT DESCRIPTION: This HPD covers the CORE, REBEL and FRIST RESPONDERS steel lockers series from DeBourgh: CORE Athletic Sports Team Lockers, CORE Athletic PE. Lockers, CORE Hallway Corridor Lockers, REBEL Athletic PE. Room Lockers, REBEL Plus Hallway Lockers, and FIRST RESPONDERS Personnel Lockers. The lockers are available in different sizes, colors, and configurations. The lockers are either open front lockers or available with a steel door, both available with a variety of ventilation styles (doors or sides).

Section 1: Summary

Nested Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format	Threshold level	Residuals/Impurities	<i>All Substances Above the Threshold Indicated Are:</i> Characterized <input type="radio"/> Yes Ex/SC <input checked="" type="radio"/> Yes <input type="radio"/> No % weight and role provided for all substances. Screened <input type="radio"/> Yes Ex/SC <input type="radio"/> Yes <input checked="" type="radio"/> No One or more substances not screened using Priority Hazard Lists with results disclosed and/ or one or more Special Condition did not follow guidance. Identified <input type="radio"/> Yes Ex/SC <input type="radio"/> Yes <input checked="" type="radio"/> No One or more substances not disclosed by Name (Specific or Generic) and Identifier and/ or one or more Special Condition did not follow guidance.
<input checked="" type="radio"/> Nested Materials Method	<input type="radio"/> 100 ppm	Residuals/Impurities	
<input type="radio"/> Basic Method	<input checked="" type="radio"/> 1,000 ppm	Considered in 4 of 10 Materials	
Threshold Disclosed Per	<input type="radio"/> Per GHS SDS	Explanation(s) provided for Residuals/Impurities?	
<input type="radio"/> Material	<input type="radio"/> Other	<input checked="" type="radio"/> Yes <input type="radio"/> No	
<input checked="" type="radio"/> Product			

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

**MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY**  
**GREENSCREEN SCORE | HAZARD TYPE**  
**STEEL PANEL [ IRON, ELEMENTAL LT-P1 | END SULFUR, PRECIPITATED LT-UNK | SKI SILICON, ELEMENTAL LT-UNK IRON ALLOY, BASE, FE,P (FERROPHOSPHORUS) NoGS NICKEL LT-1 | CAN | RES | MAM | MUL | SKI MOLYBDENUM LT-UNK MANGANESE LT-P1 | END | MUL | REP COPPER LT-P1 | AQU | MUL CHROMIUM LT-P1 | END | SKI | RES CARBON LT-UNK ALUMINUM BM-1 | END | RES | PHY ] POWDER COATING [ UNDISCLOSED LT-1 | MUL | MAM | RES | SKI | GEN | EYE UNDISCLOSED BM-2 | CAN UNDISCLOSED LT-UNK UNDISCLOSED LT-UNK UNDISCLOSED BM-1 | CAN UNDISCLOSED LT-UNK UNDISCLOSED LT-1 | CAN | END UNDISCLOSED LT-UNK UNDISCLOSED LT-UNK UNDISCLOSED LT-UNK UNDISCLOSED NoGS UNDISCLOSED BM-2 UNDISCLOSED LT-1 | MUL | CAN | GEN | MAM | AQU | DEV UNDISCLOSED LT-UNK UNDISCLOSED LT-UNK UNDISCLOSED BM-2 UNDISCLOSED LT-UNK | CAN ] METAL HINGES [ UNS G10080 CARBON OR STEEL ALLOY NoGS ] COAT ROD AND FIXTURE [ STEEL MANUFACTURE, CHEMICALS LT-UNK ASTM A653 CS TYPE B CARBON OR STEEL ALLOY NoGS UNS G10200 CARBON OR STEEL ALLOY NoGS ZINC, ELEMENTAL LT-P1 | AQU | END | MUL | PHY ] HANDLE, LATCH AND LOCKING MECHANISM [ ASTM A1008 CS TYPE B CARBON OR STEEL ALLOY NoGS 304 STAINLESS STEEL NoGS STEEL NoGS UNS G10180 CARBON OR STEEL ALLOY NoGS UNS G10100 CARBON OR STEEL ALLOY NoGS UNS G10060 CARBON OR STEEL ALLOY NoGS ] COVER PLATE AND SPACER CHANNEL TUBE [ STEEL NoGS ZINC, ELEMENTAL LT-P1 | AQU | END | MUL | PHY ] FASTENERS (RIVETS, WASHERS, NUTS) ALUMINUM NUMBER PLATE [ UNS A93003 ALUMINUM ALLOY NoGS ] PLUNGER ASSEMBLY [ NYLON-66 LT-UNK GLASS / MINERAL FIBER (POST-CONSUMER RECYCLED) Not Screened ] DRAWER GLIDES [ STEEL**

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest concern GreenScreen

Benchmark or List translator Score ... BM-1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

HPD prepared using a Nested Materials Inventory with a product threshold at 1,000 ppm. The content inventory includes ranges to encompass all products part of the CORE, REBEL and FIRST RESPONDERS series. The Sheet Metal product contain materials with Special Conditions (Metal alloys) as per the HPDC. Reporting of Metal Alloys was done according to HPDC Guidelines SCMetalAlloy/2020-08-06. Guidelines for Metal Alloys are still under development by HPDC and the manufacturer will update the HPD accordingly once these guidelines are implemented in the HPD Builder. Main metal alloy parts in the products are reported by their alloying elements, secondary metal alloy parts in the products are reported by metal alloy. Furthermore, Fasteners are reported according to Special Conditions : [SCMinorFasteners/2020-07-16]. Note this special condition is not fully implement in the builder. It will be updated when available. Not all substances are identified, i.e. not disclosed by name, as they are proprietary.

**VOLATILE ORGANIC COMPOUND (VOC) CONTENT**

VOC Content data is not applicable for this product category.

**CERTIFICATIONS AND COMPLIANCE** *See Section 3 for additional listings.*

VOC emissions: Inherently non-emitting source per LEED

**CONSISTENCY WITH OTHER PROGRAMS**

No pre-checks completed or disclosed

Third Party Verified?

Yes

No

PREPARER: Vertima

VERIFIER:

VERIFICATION #:

SCREENING DATE: 2021-03-05

PUBLISHED DATE: 2021-03-05

EXPIRY DATE: 2024-03-05

## Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.2, available on the HPDC website at: [www.hpdc-collaborative.org/hpd-2-2-standard](http://www.hpdc-collaborative.org/hpd-2-2-standard)

### STEEL PANEL

#: 81.6000 - 97.8000

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

MATERIAL TYPE: Metal

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities are below the declaration threshold. They can include corrosion-inhibiting oil to protect the steel or elements in the steel that exist as intentional additions or "trace" or "residual" that generally originate in the raw materials used. these elements may include antimony, arsenic, boron, cadmium, calcium, cobalt, columbium lead, tin, titanium, vanadium, and zirconium.

OTHER MATERIAL NOTES: Ranges are used to cover multiple products. The steel can contain various quantity of recycled steel.

### IRON, ELEMENTAL

ID: 7439-89-6

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2021-03-05

#: 87.0000 - 100.0000

GS: LT-P1

RC: None

NANO: No

SUBSTANCE ROLE: Alloy element

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

END

TEDX - Potential Endocrine Disruptors

Potential Endocrine Disruptor

SUBSTANCE NOTES: Ranges are used to cover variation in steel composition and statements from multiple suppliers.

### SULFUR, PRECIPITATED

ID: 7704-34-9

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2021-03-05

#: 0.0000 - 0.0020

GS: LT-UNK

RC: None

NANO: No

SUBSTANCE ROLE: Alloy element

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

SKI

EU - GHS (H-Statements)

H315 - Causes skin irritation

SUBSTANCE NOTES: Ranges are used to cover variation in steel composition and statements from multiple suppliers.

### SILICON, ELEMENTAL

ID: 7440-21-3

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2021-03-05

#: 0.0000 - 3.0400

GS: LT-UNK

RC: None

NANO: No

SUBSTANCE ROLE: Alloy element

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Ranges are used to cover variation in steel composition and statements from multiple suppliers.

### IRON ALLOY, BASE, FE,P (FERROPHOSPHORUS)

ID: 8049-19-2

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**HAZARD SCREENING DATE: **2021-03-05**%: **0.0000 - 0.0150**GS: **NoGS**RC: **None**NANO: **No**SUBSTANCE ROLE: **Alloy element**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Ranges are used to cover variation in steel composition and statements from multiple suppliers.

**NICKEL**ID: **7440-02-0**HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**HAZARD SCREENING DATE: **2021-03-05**%: **0.0000 - 3.6500**GS: **LT-1**RC: **None**NANO: **No**SUBSTANCE ROLE: **Alloy element**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CAN	EU - GHS (H-Statements)	H351 - Suspected of causing cancer
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen
CAN	MAK	Carcinogen Group 1 - Substances that cause cancer in man
CAN	IARC	Group 1 - Agent is Carcinogenic to humans
CAN	CA EPA - Prop 65	Carcinogen
CAN	US NIH - Report on Carcinogens	Known to be a human Carcinogen
CAN	IARC	Group 2b - Possibly carcinogenic to humans
RES	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced
CAN	US NIH - Report on Carcinogens	Reasonably Anticipated to be Human Carcinogen
MAM	EU - GHS (H-Statements)	H372 - Causes damage to organs through prolonged or repeated exposure
RES	MAK	Sensitizing Substance Sah - Danger of airway & skin sensitization
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
SKI	EU - GHS (H-Statements)	H317 - May cause an allergic skin reaction

SUBSTANCE NOTES: Ranges are used to cover variation in steel composition and statements from multiple suppliers.

**MOLYBDENUM**ID: **7439-98-7**HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**HAZARD SCREENING DATE: **2021-03-05**%: **0.0000 - 0.0200**GS: **LT-UNK**RC: **None**NANO: **No**SUBSTANCE ROLE: **Alloy element**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Ranges are used to cover variation in steel composition and statements from multiple suppliers.

**MANGANESE**ID: **7439-96-5**

%: **0.0000 - 2.4500**GS: **LT-P1**RC: **None**NANO: **No**SUBSTANCE ROLE: **Alloy element**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
REP	GHS - Japan	Toxic to reproduction - Category 1B [H360]

SUBSTANCE NOTES: Ranges are used to cover variation in steel composition and statements from multiple suppliers.

**COPPER**ID: **7440-50-8**%: **0.0000 - 1.7500**GS: **LT-P1**RC: **None**NANO: **No**SUBSTANCE ROLE: **Alloy element**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
AQU	EU - GHS (H-Statements)	H411 - Toxic to aquatic life with long lasting effects
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters

SUBSTANCE NOTES: Ranges are used to cover variation in steel composition and statements from multiple suppliers.

**CHROMIUM**ID: **7440-47-3**%: **0.0000 - 5.5000**GS: **LT-P1**RC: **None**NANO: **No**SUBSTANCE ROLE: **Alloy element**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
SKI	MAK	Sensitizing Substance Sh - Danger of skin sensitization
RES	AOEC - Asthmagens	Asthmagens (Rs) - sensitizer-induced

SUBSTANCE NOTES: Ranges are used to cover variation in steel composition and statements from multiple suppliers.

**CARBON**ID: **7440-44-0**%: **0.0000 - 0.0300**GS: **LT-UNK**RC: **None**NANO: **No**SUBSTANCE ROLE: **Alloy element**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Ranges are used to cover variation in steel composition and statements from multiple suppliers.

**ALUMINUM**ID: **7429-90-5**

%: **0.0000 - 0.0600**GS: **BM-1**RC: **None**NANO: **No**SUBSTANCE ROLE: **Alloy element**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
RES	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced
PHY	EU - GHS (H-Statements)	H261 - In contact with water releases flammable gases
PHY	EU - GHS (H-Statements)	H228 - Flammable solid

SUBSTANCE NOTES: Ranges are used to cover variation in steel composition and statements from multiple suppliers.

**POWDER COATING**%: **1.4000 - 3.5000**

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: Residuals and Impurities are below the declaration threshold.

OTHER MATERIAL NOTES: Material percent ranges are used to cover various products. The composition of this material is proprietary.

**UNDISCLOSED**ID: **Undisclosed**%: **3.0000 - 5.0000**GS: **LT-1**RC: **UNK**NANO: **No**SUBSTANCE ROLE: **Accelerator**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
MUL	ChemSec - SIN List	CMR - Carcinogen, Mutagen &/or Reproductive Toxicant
MUL	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters
MAM	EU - GHS (H-Statements)	H301 - Toxic if swallowed
MAM	EU - GHS (H-Statements)	H331 - Toxic if inhaled
RES	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced
RES	MAK	Sensitizing Substance Sah - Danger of airway & skin sensitization
SKI	EU - GHS (H-Statements)	H317 - May cause an allergic skin reaction
GEN	EU - GHS (H-Statements)	H340 - May cause genetic defects
GEN	EU - REACH Annex XVII CMRs	Mutagen Category 2 - Substances which should be regarded as if they are Mutagenic to man
GEN	EU - Annex VI CMRs	Mutagen - Category 1B
EYE	EU - GHS (H-Statements)	H318 - Causes serious eye damage
GEN	EU - SVHC Authorisation List	Mutagenic - Candidate list
GEN	GHS - Korea	Germ cell mutagenicity - Category 1 [H340 - May cause genetic defects]
GEN	GHS - New Zealand	6.6A - Known or presumed human mutagens
GEN	GHS - Japan	Germ cell mutagenicity - Category 1B [H340]

SUBSTANCE NOTES: This substance is undisclosed as it is proprietary. Weight percentage are used to cover all available colors.

**UNDISCLOSED**

ID: **Undisclosed**

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-03-05**

#: **0.0000 - 30.0000** GS: **BM-2** RC: **UNK** NANO: **No** SUBSTANCE ROLE: **Filler**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CAN	MAK	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels

SUBSTANCE NOTES: This substance is undisclosed as it is proprietary. Weight percentage are used to cover all available colors.

**UNDISCLOSED**

ID: **Undisclosed**

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-03-05**

#: **0.0000 - 5.0000** GS: **LT-UNK** RC: **UNK** NANO: **No** SUBSTANCE ROLE: **Pigment**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: This substance is undisclosed as it is proprietary. Weight percentage are used to cover all available colors.

**UNDISCLOSED**

ID: **Undisclosed**

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-03-05**

#: **0.0000 - 5.0000** GS: **LT-UNK** RC: **UNK** NANO: **No** SUBSTANCE ROLE: **Monomer**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: This substance is undisclosed as it is proprietary. Weight percentage are used to cover all available colors.

**UNDISCLOSED**

ID: **Undisclosed**

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-03-05**

#: **0.0000 - 5.0000** GS: **BM-1** RC: **UNK** NANO: **No** SUBSTANCE ROLE: **Pigment**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CAN	MAK	Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification

SUBSTANCE NOTES: This substance is undisclosed as it is proprietary. Weight percentage are used to cover all available colors.

**UNDISCLOSED**

ID: **Undisclosed**

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-03-05**

#: **0.0000 - 23.0000** GS: **LT-UNK** RC: **UNK** NANO: **No** SUBSTANCE ROLE: **Monomer**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: This substance is undisclosed as it is proprietary. Weight percentage are used to cover all available colors.

**UNDISCLOSED**

ID: **Undisclosed**

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-03-05**

#: **0.0000 - 35.0000** GS: **LT-1** RC: **UNK** NANO: **No** SUBSTANCE ROLE: **Pigment**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CAN	EU - GHS (H-Statements)	H351 - Suspected of causing cancer
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen
CAN	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CAN	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources
CAN	MAK	Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
CAN	MAK	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels

SUBSTANCE NOTES: This substance is undisclosed as it is proprietary. Weight percentage are used to cover all available colors.

**UNDISCLOSED**

ID: **Undisclosed**

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-03-05**

#: **0.0000 - 6.0000** GS: **LT-UNK** RC: **UNK** NANO: **No** SUBSTANCE ROLE: **Pigment**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: This substance is undisclosed as it is proprietary. Weight percentage are used to cover all available colors.

**UNDISCLOSED**

ID: **Undisclosed**

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-03-05**

#: **0.0000 - 5.0000** GS: **LT-UNK** RC: **UNK** NANO: **No** SUBSTANCE ROLE: **Pigment**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: This substance is undisclosed as it is proprietary. Weight percentage are used to cover all available colors.

**UNDISCLOSED**

ID: **Undisclosed**

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-03-05**



#: 0.0000 - 5.0000

GS: LT-UNK

RC: UNK

NANO: No

SUBSTANCE ROLE: Pigment

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: This substance is undisclosed as it is proprietary. Weight percentage are used to cover all available colors.

**UNDISCLOSED**

ID: **Undisclosed**

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-03-05**

#: 0.0000 - 55.0000

GS: NoGS

RC: UNK

NANO: No

SUBSTANCE ROLE: Polymer species

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: This substance is undisclosed as it is proprietary. Weight percentage are used to cover all available colors.

**UNDISCLOSED**

ID: **Undisclosed**

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-03-05**

#: 0.0000 - 20.0000

GS: BM-2

RC: UNK

NANO: No

SUBSTANCE ROLE: Filler

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: This substance is undisclosed as it is proprietary. Weight percentage are used to cover all available colors.

**UNDISCLOSED**

ID: **Undisclosed**

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-03-05**

#: 0.0000 - 10.0000

GS: LT-1

RC: UNK

NANO: No

SUBSTANCE ROLE: Pigment

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
MUL	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters
CAN	CA EPA - Prop 65	Carcinogen
GEN	EU - GHS (H-Statements)	H341 - Suspected of causing genetic defects
CAN	IARC	Group 2b - Possibly carcinogenic to humans
MAM	EU - GHS (H-Statements)	H372 - Causes damage to organs through prolonged or repeated exposure
AQU	EU - GHS (H-Statements)	H411 - Toxic to aquatic life with long lasting effects
DEV	EU - GHS (H-Statements)	H361d - Suspected of damaging the unborn child
MAM	US EPA - EPCRA Extremely Hazardous Substances	Extremely Hazardous Substances
GEN	GHS - Japan	Germ cell mutagenicity - Category 1B [H340]

SUBSTANCE NOTES: This substance is undisclosed as it is proprietary. Weight percentage are used to cover all available colors.

**UNDISCLOSED**ID: **Undisclosed**HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-03-05**%: **0.0000 - 20.0000** GS: **LT-UNK** RC: **UNK** NANO: **No** SUBSTANCE ROLE: **Filler**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: This substance is undisclosed as it is proprietary. Weight percentage are used to cover all available colors.

**UNDISCLOSED**ID: **Undisclosed**HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-03-05**%: **0.0000 - 5.0000** GS: **LT-UNK** RC: **UNK** NANO: **No** SUBSTANCE ROLE: **Opacifier**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: This substance is undisclosed as it is proprietary. Weight percentage are used to cover all available colors.

**UNDISCLOSED**ID: **Undisclosed**HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-03-05**%: **0.0000 - 30.0000** GS: **BM-2** RC: **UNK** NANO: **No** SUBSTANCE ROLE: **Monomer**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: This substance is undisclosed as it is proprietary. Weight percentage are used to cover all available colors.

**UNDISCLOSED**ID: **Undisclosed**HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-03-05**%: **0.0000 - 3.0000** GS: **LT-UNK** RC: **UNK** NANO: **No** SUBSTANCE ROLE: **Matting agent**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CAN	MAK	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels

SUBSTANCE NOTES: This substance is undisclosed as it is proprietary. Weight percentage are used to cover all available colors.

**METAL HINGES**%: **0.0000 - 3.4000**

PRODUCT THRESHOLD: 1000 ppm RESIDUALS AND IMPURITIES CONSIDERED: No MATERIAL TYPE: Metal

RESIDUALS AND IMPURITIES NOTES: Typical composition is used and the manufacturers did not report any residuals or impurities.

OTHER MATERIAL NOTES: Ranges are used to cover multiple products.

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-03-05**

#: **100.0000** GS: **NoGS** RC: **UNK** NANO: **No** SUBSTANCE ROLE: **Structure component**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES:

**COAT ROD AND FIXTURE**

#: **0.0000 - 4.3000**

PRODUCT THRESHOLD: **1000 ppm** RESIDUALS AND IMPURITIES CONSIDERED: **Yes** MATERIAL TYPE: **Metal**

RESIDUALS AND IMPURITIES NOTES: **Steel parts may be oiled; hence some oil can remain on the parts.**

OTHER MATERIAL NOTES: **Ranges are used to cover multiple products. The coat rod and fixture includes 3 parts: coat rod, end socket and the plate retainer.**

**STEEL MANUFACTURE, CHEMICALS**

ID: 65997-19-5

HAZARD SCREENING METHOD: <b>Pharos Chemical and Materials Library</b>		HAZARD SCREENING DATE: <b>2021-03-05</b>	
%: <b>68.1000</b>	GS: <b>LT-UNK</b>	RC: <b>UNK</b>	NANO: <b>No</b> SUBSTANCE ROLE: <b>Structure component</b>
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS	
None found		No warnings found on HPD Priority Hazard Lists	
SUBSTANCE NOTES:			

**ASTM A653 CS TYPE B CARBON OR STEEL ALLOY**

ID: 12597-69-2

HAZARD SCREENING METHOD: <b>Pharos Chemical and Materials Library</b>		HAZARD SCREENING DATE: <b>2021-03-05</b>	
%: <b>16.4000</b>	GS: <b>NoGS</b>	RC: <b>UNK</b>	NANO: <b>No</b> SUBSTANCE ROLE: <b>Structure component</b>
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS	
None found		No warnings found on HPD Priority Hazard Lists	
SUBSTANCE NOTES: This steel is zinc coated.			

**UNS G10200 CARBON OR STEEL ALLOY**

ID: Not registered

HAZARD SCREENING METHOD: <b>Pharos Chemical and Materials Library</b>		HAZARD SCREENING DATE: <b>2021-03-05</b>	
%: <b>15.3000</b>	GS: <b>NoGS</b>	RC: <b>UNK</b>	NANO: <b>No</b> SUBSTANCE ROLE: <b>Structure component</b>
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS	
None found		No warnings found on HPD Priority Hazard Lists	
SUBSTANCE NOTES:			

**ZINC, ELEMENTAL**

ID: 7440-66-6

HAZARD SCREENING METHOD: <b>Pharos Chemical and Materials Library</b>		HAZARD SCREENING DATE: <b>2021-03-05</b>	
%: <b>0.3000</b>	GS: <b>LT-P1</b>	RC: <b>None</b>	NANO: <b>No</b> SUBSTANCE ROLE: <b>Coating</b>
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS	
AQU	EU - GHS (H-Statements)	H400 - Very toxic to aquatic life	
AQU	EU - GHS (H-Statements)	H410 - Very toxic to aquatic life with long lasting effects	
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor	
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters	
PHY	EU - GHS (H-Statements)	H250 - Catches fire spontaneously if exposed to air	
PHY	EU - GHS (H-Statements)	H260 - In contact with water releases flammable gases which may ignite spontaneously	
SUBSTANCE NOTES:			

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: No

MATERIAL TYPE: Metal

RESIDUALS AND IMPURITIES NOTES: Their are no known residuals or impurities.

OTHER MATERIAL NOTES: Ranges are used to include all product options.

**ASTM A1008 CS TYPE B CARBON OR STEEL ALLOY**

ID: 12597-69-2

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-03-05**%: **47.6000** GS: **NoGS** RC: **UNK** NANO: **No** SUBSTANCE ROLE: **Structure component**

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES:

**304 STAINLESS STEEL**

ID: 12597-68-1

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-03-05**%: **34.5000** GS: **NoGS** RC: **UNK** NANO: **No** SUBSTANCE ROLE: **Structure component**

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES:

**STEEL**

ID: 12597-69-2

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-03-05**%: **13.5000** GS: **NoGS** RC: **UNK** NANO: **No** SUBSTANCE ROLE: **Structure component**

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: This substance is made of carbon steel. The exact grade is not known.

**UNS G10180 CARBON OR STEEL ALLOY**ID: **Not registered**HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-03-05**%: **2.6000** GS: **NoGS** RC: **UNK** NANO: **No** SUBSTANCE ROLE: **Structure component**

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES:

**UNS G10100 CARBON OR STEEL ALLOY**ID: **Not registered**HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-03-05**

%: **1.6000** GS: **NoGS** RC: **UNK** NANO: **No** SUBSTANCE ROLE: **Structure component**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
-------------	------------------------	----------

None found		No warnings found on HPD Priority Hazard Lists
------------	--	--

SUBSTANCE NOTES:

**UNS G10060 CARBON OR STEEL ALLOY** ID: **Not registered**

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-03-05**

%: **0.3000** GS: **NoGS** RC: **UNK** NANO: **No** SUBSTANCE ROLE: **Structure component**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
-------------	------------------------	----------

None found		No warnings found on HPD Priority Hazard Lists
------------	--	--

SUBSTANCE NOTES:

**COVER PLATE AND SPACER CHANNEL TUBE** %: **0.0000 - 1.0000**

PRODUCT THRESHOLD: **1000 ppm** RESIDUALS AND IMPURITIES CONSIDERED: **No** MATERIAL TYPE: **Metal**

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities were not considered; however, if any, they will fall below the declaration threshold.

OTHER MATERIAL NOTES: Ranges are used to cover multiple products.

**STEEL**

ID: 12597-69-2

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-03-05**%: **99.3000** GS: **NoGS** RC: **UNK** NANO: **No** SUBSTANCE ROLE: **Structure component**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The steel is carbon steel and/or commercial steel grade B.

**ZINC, ELEMENTAL**

ID: 7440-66-6

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-03-05**%: **0.7000** GS: **LT-P1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Coating**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
AQU	EU - GHS (H-Statements)	H400 - Very toxic to aquatic life
AQU	EU - GHS (H-Statements)	H410 - Very toxic to aquatic life with long lasting effects
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
PHY	EU - GHS (H-Statements)	H250 - Catches fire spontaneously if exposed to air
PHY	EU - GHS (H-Statements)	H260 - In contact with water releases flammable gases which may ignite spontaneously

SUBSTANCE NOTES: Some steel parts are coated with zinc.

**FASTENERS (RIVETS, WASHERS, NUTS)**

%: 0.0000 - 0.9000

PRODUCT THRESHOLD: 1000 ppm RESIDUALS AND IMPURITIES CONSIDERED: No MATERIAL TYPE: Metal

RESIDUALS AND IMPURITIES NOTES: The residuals and impurities were not considered.

OTHER MATERIAL NOTES: Ranges are used to cover various products. All substances in this material are NOT below the reportable threshold; however, they fall under the HPDC Special Conditions Policy. Green Screen Score and hazard screening are not required. The rivets are made of steel, the washers of brass, and the material for the nuts are unknown.

**ALUMINUM NUMBER PLATE**

%: 0.0000 - 0.1400

PRODUCT THRESHOLD: 1000 ppm RESIDUALS AND IMPURITIES CONSIDERED: No MATERIAL TYPE: Metal

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities were not considered; however, they are, if any, believed to be under the reporting threshold.

OTHER MATERIAL NOTES: Ranges are used to cover multiple products.

**UNS A93003 ALUMINUM ALLOY**ID: **Not registered**HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-03-05**%: **100.0000** GS: **NoGS** RC: **UNK** NANO: **No** SUBSTANCE ROLE: **Structure component**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES:

**PLUNGER ASSEMBLY**%: **0.0000 - 0.1200**PRODUCT THRESHOLD: 1000 ppm RESIDUALS AND IMPURITIES CONSIDERED: **Yes** MATERIAL TYPE: **Polymeric Material**

RESIDUALS AND IMPURITIES NOTES: No knows residuals are impurities.

OTHER MATERIAL NOTES: Ranges are used to cover multiple products.

**NYLON-66**ID: **32131-17-2**HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-03-05**%: **60.0000 - 70.0000** GS: **LT-UNK** RC: **UNK** NANO: **No** SUBSTANCE ROLE: **Binder**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Percent ranges are used to cover composition variation.

**GLASS / MINERAL FIBER (POST-CONSUMER RECYCLED)**ID: **65997-17-3**HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-03-05**%: **30.0000 - 40.0000** GS: **Not Screened** RC: **None** NANO: **No** SUBSTANCE ROLE: **Structure component**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
	Hazard Screening not performed	

SUBSTANCE NOTES: Percent ranges are used to cover composition variation.

**DRAWER GLIDES**%: **0.0000 - 5.8000**PRODUCT THRESHOLD: 1000 ppm RESIDUALS AND IMPURITIES CONSIDERED: **No** MATERIAL TYPE: **Metal**

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities were not considered; however, they are believed to be below the reporting threshold.

OTHER MATERIAL NOTES: Ranges are used to include options in products.



HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-03-05**

#: **100.0000** GS: **NoGS** RC: **UNK** NANO: **No** SUBSTANCE ROLE: **Structure component**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Composition of Q235 steel: Iron (balance), Carbon (0.17wt% max), Silicone (0.35wt.% max), Manganese (1.4 wt.% max), Phosphorus (0.035 wt.% max), and Sulfur (0.035wt.% max).

## Section 3: Certifications and Compliance

*This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.*

### VOC EMISSIONS

### Inherently non-emitting source per LEED

CERTIFYING PARTY: Self-declared

ISSUE DATE: 2021-01-

EXPIRY DATE:

CERTIFIER OR LAB: n/a

APPLICABLE FACILITIES: all.

21

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES: The lockers are powder coated steel. Powder-coated metals are Inherently nonemitting sources by LEED v4 (<https://www.usgbc.org/credits/new-construction-core-and-shell-retail-new-construction-data-centers-new-construction?return=/credits/newconstruction/v4/indoor-environmental-quality>)

## Section 4: Accessories

*This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.*

No accessories are required for this product.

## Section 5: General Notes

**MANUFACTURER INFORMATION**

**MANUFACTURER:** DeBourgh  
**ADDRESS:** 27505 Otero Avenue  
 La Junta Colorado 81050, United States  
**WEBSITE:** debourgh.com

**CONTACT NAME:** Zach Isaacs  
**TITLE:** Director of Marketing  
**PHONE:** 719-928-1225  
**EMAIL:** zach@debourgh.com

*The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.*

**KEY**

**Hazard Types**

<b>AQU</b> Aquatic toxicity	<b>LAN</b> Land toxicity	<b>PHY</b> Physical hazard (flammable or reactive)
<b>CAN</b> Cancer	<b>MAM</b> Mammalian/systemic/organ toxicity	<b>REP</b> Reproductive
<b>DEV</b> Developmental toxicity	<b>MUL</b> Multiple	<b>RES</b> Respiratory sensitization
<b>END</b> Endocrine activity	<b>NEU</b> Neurotoxicity	<b>SKI</b> Skin sensitization/irritation/corrosivity
<b>EYE</b> Eye irritation/corrosivity	<b>NF</b> Not found on Priority Hazard Lists	<b>UNK</b> Unknown
<b>GEN</b> Gene mutation	<b>OZO</b> Ozone depletion	
<b>GLO</b> Global warming	<b>PBT</b> Persistent, bioaccumulative, and toxic	

**GreenScreen (GS)**

<b>BM-4</b> Benchmark 4 (prefer-safer chemical)	<b>LT-1</b> List Translator 1 (Likely Benchmark-1)
<b>BM-3</b> Benchmark 3 (use but still opportunity for improvement)	<b>LT-UNK</b> List Translator Benchmark Unknown (the chemical is present on at least one GreenScreen Specified List, but the information contained within the list did not result in a clear mapping to a LT-1 or LTP1 score.)
<b>BM-2</b> Benchmark 2 (use but search for safer substitutes)	<b>NoGS</b> No GreenScreen.
<b>BM-1</b> Benchmark 1 (avoid - chemical of high concern)	
<b>BM-U</b> Benchmark Unspecified (due to insufficient data)	
<b>LT-P1</b> List Translator Possible 1 (Possible Benchmark-1)	

**Recycled Types**

**PreC** Pre-consumer recycled content  
**PostC** Post-consumer recycled content  
**UNK** Inclusion of recycled content is unknown  
**None** Does not include recycled content

**Other Terms:**

**GHS SDS** Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

**Inventory Methods:**

**Nested Method / Material Threshold** Substances listed within each material per threshold indicated per material  
**Nested Method / Product Threshold** Substances listed within each material per threshold indicated per product  
**Basic Method / Product Threshold** Substances listed individually per threshold indicated per product

**Nano** Composed of nano scale particles or nanotechnology  
**Third Party Verified** Verification by independent certifier approved by HPDC  
**Preparer** Third party preparer, if not self-prepared by manufacturer  
**Applicable facilities** Manufacturing sites to which testing applies

*The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:*

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

*Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.*

*The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.*

*The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.*